

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently amended) A system for remote interactive access to data, comprising:
a network server for receiving user input to remotely manipulate or modify at least one report generated by at least one data source based on content in the data source and previously served to a user system with one or more markup language constructs associated with actions to manipulate or modify the at least one report being presented in the report to enable user input, the user input being initiated by activation of a markup language construct associated with the at least one report that was served to the user system, the network server serving to translate the user input received via first network enabled code to second network enabled code;
a reporting server, communicating with the user interface, the reporting server being configured to respond to the user input to manipulate the at least one report generated from the at least one data source by accessing an image of the at least one report, and generating results to present via the user interface.
2. (Original) The system of claim 1, wherein the image of the at least one report comprises an image stored in at least one of an electronic memory and a storage medium of the reporting server.
3. (Canceled)
4. (Previously Amended) The system of claim 1, wherein the network server comprises a Web server.

5. (Currently amended) The system of claim 4, wherein the Web server is configured to-
- i) ~~translate the user input received via first network enabled code to second network enabled code;~~
 - ii) ~~access the at least one data resource via the second network enabled code;~~
- and
- iii) ~~present results to the user via the first network enabled code.~~
6. (Original) The system of claim 5, wherein the first network enabled code comprises at least HTML code.
7. (Original) The system of claim 5, wherein the second network enabled code comprises at least XML code.
8. (Previously Amended) The system of claim 5, wherein the user input is received from a Web browser.
9. (Original) The system of claim 1, wherein the at least one data source comprises at least one OLAP-enabled database.
10. (Original) The system of claim 1, wherein the results presented to the user are modifiable.
11. (Original) The system of claim 10, wherein the modifications to the results comprise at least one of a table pivot, a pageby, a recalculated sum and a recalculated sort.
12. (Original) The system of claim 11, wherein the modifications to the results are activated by at least one of a URL link and a query box.
13. (Currently amended) A method for remote interactive access to data, comprising:

a) receiving via a user interface user input to remotely manipulate or modify at least one report generated by at least one data source based on content in the data source and previously served to a user system with one or more markup language constructs associated with actions to manipulate or modify the at least one report being presented in the report to enable user input, the user input being initiated by activation of a markup language construct associated with the at least one report that was served to the user system;

b) translating the received user input from a first network enabled code to a second network enabled code;

c) responding to the user input to manipulate or modify the at least one report by accessing an image of the at least one report, and generating results to present via the user interface.

14. (Original) The method of claim 13, further comprising a step c) of storing the image of the at least one report in at least one of an electronic memory and a storage medium of a reporting server.

15. (Previously Presented) The method of claim 13, further comprising a step of d) communicating with the user interface via a network server.

16. (Original) The method of claim 15, wherein the network server comprises a Web server.

17. (Original) The method of claim 16, wherein the Web server is configured to-

i) ~~translate the user input received via the user interface via first network enabled code to second network enabled code;~~

ii) ~~access the at least one data resource via the second network enabled code;~~

and

iii)——present results to the user via the first network enabled code.

18. (Original) The method of claim 17, wherein the first network enabled code comprises at least HTML code.

19. (Original) The method of claim 17, wherein the second network enabled code comprises at least XML code.

20. (Original) The method of claim 17, wherein the user interface comprises a Web browser.

21. (Original) The method of claim 13, wherein the at least one data source comprises at least one OLAP-enabled database.

22. (Original) The method of claim 13, wherein the results presented to the user are modifiable.

23. (Original) The method of claim 22, further comprising a step of e) modifying the results by executing at least one of a table pivot, a pageby, a recalculated sum and a recalculated sort.

24. (Original) The method of claim 23, further comprising a step of f) modifying the results by activating by at least one of a URL link and a query box.

25. (Currently amended) A machine readable medium, the machine readable medium being readable to execute a method for remote interactive access to data, the method comprising:

a) receiving via a user interface user input to remotely manipulate or modify at least one report generated by at least one data source based on content in the data source and previously served to a user system with one or more markup language constructs associated with actions to manipulate or modify the at least one report being presented in the report to enable user input,

the user input being initiated by activation of a markup language construct associated with the at least one report that was served to the user system;

b) translating the user input received from a first network enabled code to a second network enabled code;

c) responding to the user input to manipulate or modify the at least one report by accessing an image of the at least one report, and generating results to present via the user interface.

26. (Original) The medium of claim 25, wherein the method further comprises a step of c) storing an image of the at least one report in at least one of an electronic memory and a storage medium of a reporting server.

27. (Previously Presented) A system for remote interactive access to data, comprising:

a user interface for: (1) remotely accessing and viewing at least one report generated from at least one remote data source, and (2) providing user input to remotely manipulate and/or modify the at least one report, the user input being provided by activating a markup language construct, the user being translated from a first network enabled code to a second network enabled code; and

a reporting server, communicating with the user interface, the reporting server being configured to: (1) respond to the user input to remotely manipulate and/or modify the at least one report, and (2) generate and present to the user interface the manipulated and/or modified at least one report.

28. (Previously Presented) The system of claim 27 further comprising a network server connecting the user interface and the reporting server.

29. (Previously Presented) The system of claim 28 wherein the network server comprises a web or Internet server.

30. (Previously Presented) The system of claim 27 wherein the markup language construct comprises a hyperlink.

31. (Previously Presented) The system of claim 27 wherein the markup language construct comprises a URL.